Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	261	((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) and ("713"/. ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:28
L9	108	((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) and ((forward or backward)) and ("713"/.ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:32
L10	2	((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) same ((forward or backward)) and ("713"/.ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:37
L11	1	(ecm or "entitlement control message") same ((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) same ((forward or backward)) and ("713"/.ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:38
L12	261	((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) and ("713"/. ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:38
L13	3	(ecm or "entitlement control message") same ((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) and ("713"/.ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:52
L14	2	ep-903886-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:47
L15	. 1	("6243469").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/24 09:42
L16	3	(("5509071") or ("5420866") or ("5631960")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/24 09:47

			T	T	1	<u> </u>
L17	9	(ecm or "entitlement control message") and ((list or multiple or different) adj2 ((descrambl\$4 or decod\$4 or decrypt\$4) adj key)) and ("713"/.ccls. or "380"/.ccls. or "705"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 09:57
L18	1	("5870474").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/24 09:57
L19	1	("6463155").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/24 10:08
S1	2	(("5,420,866") or ("6,148,082")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 16:05
S4	2	ep-903886-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:06
S5	306	380/210 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:36
S6	3	380/200-210 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:36
S7	131	380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:35
S8	93	380/200.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:36
S11	65	380/287.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:38

S12	536	380/287-53.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:38
S13	14	380/53.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:38
S14	15	("transport stream") and 380/210. ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 10:25
S15	3	("I picture") and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:54
S18	8	(reception with broadcast) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:28
S22	75	(reception with broadcast) same ((predetermined or preset) with (portion or unit)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:32
S23	52	(reception with broadcast) with ((predetermined or preset) with (portion or unit)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:33
S24	10	(reception with broadcast) with ((predetermined or preset) near3 (portion or unit)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:33

				Ţ		
S29	8	((receipt\$4 or recive\$4) with (scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4)) same ((predetermined or preset) near3 unit) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:42
S32		((receipt\$4 or recive\$4) with (scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data)) and ((predetrmined or preset) near3 unit) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/11 12:06
S36	132	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data) same stor\$4 same extraction and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:09
S37	20	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data) same stor\$4 same extraction same (predetermined or preset) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:12
S39	5	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data) and (stor\$4 same extraction) same (predetermined or preset) and "380"/\$.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:18
S40	6	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) near3 (content or data) and (stor\$4 same extraction) same (predetermined or preset) and "380"/\$.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:20
S41	49	("conditional access" or ca) and "380"/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:20
S43	1	("conditional access" or ca) same (preset or predetermined) and "380"/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:23

Page 4

S44	19	("conditional access" or ca) and (preset or predetermined) and "380"/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:23
S45	67	((predetermined or presetor portion or unit) with (scrambled or encrypted or encoded)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:33
S46	54	((predetermined or presetor portion or unit) with (scrambled or encoded)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:05
S47	42	((predetermined or presetor portion or unit) with (scrambled)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:16
S48	27	((predetermined or preset or portion) with (scrambled)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:23
S51	1	(sequential with receiv\$4 same (("transport stream" or ts) with packet)) and "380"/\$.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:14
S52	11	(sequential with receiv\$4 same (("transport stream" or ts) with packet)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:01
S53	2	((ecm or "entitlement control message") with (scrambled) with stor\$4) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:23

	in the second of						
S54	1	(sequential with receiv\$4 same (("transport stream" or ts) with packet)) same counter and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:02	
S56	1	"continuity counter" and 380/210. ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:16	
S57	1	("6363488").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/15 17:16	
S59	67	("I picture" or "intraframe encoded message") with judg\$7 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:12	
S62	6	("I picture" or "intraframe encoded message") with judg\$7 with (scrambl\$4 or encod\$4 or encrypt\$4) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:57	
S65	4	(unscrambled or unencrypted) same ("I picture" or "intraframe encoded message") and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:07	
S67	9	("I picture" or "intraframe encoded message") same "TS packet" and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:15	
S69	96621	(identif\$7 or specif\$5) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:30	
S70	3989	(identif\$7 or specif\$5) with ((descrambl\$4 or decrypt\$4 or decod\$4) near3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:30	

S71	1561	(identif\$7 or specif\$5) with ((descrambl\$4 or decrypt\$4 or decod\$4) adj3 key) and @ad<"20011201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:32
S72	2055	(identif\$7 or specif\$5 or select\$4) with ((descrambl\$4 or decrypt\$4 or decod\$4) adj3 key) and @ad<"20011201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:54
S73	70	((predetermined or preset or portion or unit) with (scrambled or encrypted or encoded)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:34
S76	16	S69 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:36
S77	241	((identif\$7 or specify\$4) near3 information) with ((descrambl\$4 or decrypt\$4 or decod\$4) adj3 key) and @ad<"20011201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:54
S78	104	((identif\$7 or specify\$4) near3 information) with ((descrambl\$4 or decrypt\$4 or decod\$4) adj3 key) and @ad<"20011201" and "380"/. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:07
S79	27	((key adj2 (specif\$7 or identif\$7)) adj4 information) with ((descrambl\$4 or decrypt\$4 or decod\$4) adj3 key) and @ad<"20011201" and "380"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:08
S80	1	("6463155").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/14 07:44
S81	1	("6243469").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 16:06
S82	1	("6865431").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 17:23

S86	40	(hirota and tagawa).inv.	US-PGPUB;	OR	ON	2006/03/22 18:05
			USPAT; USOCR; EPO; JPO; DERWENT;			·
S88	79	//nrodotorminad or procet or partian	IBM_TDB US-PGPUB;	OR	ON	2006/03/22 17:31
500	79	((predetermined or preset or portion or unit) with (scrambled or encrypted or encoded)) and 380/210.ccls. and @ad<"20001201"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .	Ol4	2000/03/22 17:31
S91	212	(decrypt\$4 or decod\$4or descrambl\$4) same portion same(forward or backward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 17:34
S92	10	(decrypt\$4 or decod\$4or descrambl\$4) same portion same(forward or backward) same (identif\$4 near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 17:44
S93	12	(decrypt\$4 or decod\$4or descrambl\$4) same (portion or frame or packet) same (forward or backward) same (identif\$4 near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 17:52
S94	5	(drm or "digital rights management" or "copy protection") same (list adj2 (key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 17:53
S95	1	("6519676").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 18:00
S96	4	(("5,966,352") or ("6,212,330") or ("6,118,927") or ("6,658,200")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 18:09
S97	7	(("6,188,650") or ("5,689,704") or ("6,606,707") or ("5,122,999") or ("6,199,076") or ("6,388,961") or ("6434,103")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 18:13
S98	3	(("6,611,812") or ("6,289,102") or ("6,332,175")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 18:26

S99	88	(list near3 ((decrypt\$4 or descrambl\$4 or decod\$4) adj2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 18:28
S10 0	29	(list near3 ((decrypt\$4 or descrambl\$4 or decod\$4) adj2 key)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/22 18:28